



**OŚRODEK BADAWCZO-ROZWOJOWY
PRZEMYSŁU PŁYT DREWNOPOCHODNYCH**
Research & Development Centre for Wood Based Panels

Attestation ULEF
ULEF/01/03/2024 TPC-39

In accordance with United States Environmental Protection Agency (US EPA) regulations in 40CFR Part 770 Title VI Toxic Substances Control Act (TSCA) published in the Federal Register 12.12.2016 as amended (last 21.02.2023)

Ośrodek Badawczo-Rozwojowy Przemysłu Płyt Drewnopochodnych sp. z o. o
ul. Mickiewicza 10a, 83-262 Czarna Woda

as a third party certification body TPC-39 operating under TSCA Title VI Sections §770.7 and §770.18 has assessed that the manufacturer

GROUP DELTA INVESTMENTS LLC
Russian Federation, 606640, Nizhny Novogorod region,
Semenov district, poselok Sukhobezvodnoe, Shkolnaya street, 61

for the product mentioned below

Product type – Hardwood Plywood (HWPW-VC) thickness range 4÷30 mm,
glue type Phenol-formaldehyde resin (PF)
Product name – Birch Plywood FSF

based on a assessment and review of documentation concluded in the Report No 1/03/ULEF/2024, a decision has been made, the product meets the requirements of ULEF 770.18(d) emission formaldehyde standards and is exempt from the requirements of 770.15, 770.20 and 770.40(b).

The validity of this approval is subject to the requirements defined in 40 CFR §770.18, §770.40 (a), §770.45 and the terms of the service agreement No ULEF/01/03/2024 concluded on 29th March 2024 between OBRPPD and the panel producer.

The approval is consistent with the corresponding requirement California Code of Regulations, Final Regulation Order section 93120.3, title 17: „Airborne Toxic Control Measure to Reduce Formaldehyde Emission from Composite Wood Products”(ATCM) provided that the manufacturer meets the labeling and recordkeeping requirements specified in sections 93120.3 from (e) to (g).

This document is valid until: April 17, 2026.

President


mgr inż. Leszek Danecki

Czarna Woda, April 18, 2024